# **IP OVER 2-WIRE VIDEO INTERCOM SOLUTIONS PROVIDER**





















## Contents

Company Profile	01
What We Provide	02
Outdoor Station	03
Indoor Monitor	05
Power & Distributor	07
Villa Application	09
Apartment Application	11
Advantage & Roadmap	15

### WHAT WE PROVIDE

#### Standard Products

Standard products as designed

#### Customization


Customization according to customer's demands on both software and hardware like UI, language, background, PCBA, housing...etc.

# THE PERFECT SOLUTION WITH IP OVER 2-WIRE VIDEO INTERCOM

Produce Media System Company is a member of Shanghai software association, and has strong strength in digital image/video technology, face recognition technology, and smart building system.

Now, we concentrate on developing unique system with our technology, and provide OEM & ODM services to our customers.

### Reference Schedule for Customization



01

### **MODULAR OUTDOOR STATION**



















Surface mounting

Flush mounting

### Function & Specification

Camera resolution: 720P

Two wires non-polarity

Modular design, Support Max.32 users

Support motion detection

Response day and night automatically

Indicator: Call, Conversation, Unlock

Support RFID card

Support nameplate and nameplate light

Support 1 ethernet port to connect IP camera directly

Reserved RS485 port

Surface and flush mounting

Metal touch button - optional

Support 2 kinds of locks, inner and external power





### 7" CAPACITIVE **TOUCH SCREEN MONITOR**





















### Function & Specification

7" capacitive touch screen monitor Based on Android system Two wires non-polarity 1024(RGB)\*600 pix resolution Support picture in picture function

Menu icon customized

Flexible power way: support remote and local power

Picture and video save

Support the touch slider to adjust volume

Support the second door bell and ringer extension

Support WIFI for cloud intercom

Indicator:power, mute, message, WIFI

Support home automation via Bluetooth

Provide reserved RS485 port

Support 8-zone alarm









### **POWER & DISTRIBUTOR**













### Function & Specification

Support 8 channel IP over 2-wire ports

Support 2 Ethernet ports Input Voltage: 100 ~ 240V AC Input Frequency: 50~60Hz Rated Output Voltage: DC 24V±2V Rated Output Current: 1.5A

Working Temperature: -20°C ~55°C



### VILLA APPLICATION



### Typical Application:


Single family villa, multi-families villa(2~4)


### **Products:**

Door station, monitor, distributor(optional), system power

### Advantage:

IP over 2-wire, non-polarity, upto 4 door stations and 4 monitors, connection with IP camera, SIP function, monitor based on android, WIFI and Bluetooth support





# APARTMENT APPLICATION



### Typical Application:

Apartment

### **Products:**

Door station, monitor, distributor, system power

### Advantage:

IP over 2-wire, non-polarity, connection with IP camera, SIP function, monitor based on android, WIFI and Bluetooth support, max 9999 users.





### PRODUCT LIST







Metal touch button



Metal touch button







Flush mounting
 Metal touch button

Flush mountingMetal touch button

Flush mountingKeyboard

Black



White

Flush mounting1~4 users



Black

Flush mountingIndicate lights1~4 users



• Flush mounting • 12 users

- Gardern Street
  1021

  Rerwin
  Sidore
  Alson
  Heather

  Rerwin
  Sidore
  Alston
  Alston
  Heather
- Flush mounting

• 8 users



Surface mounting4 users



Surface mountingIndicate lights

• 4 users

Golden



Flush mounting1~4 users



- Flush mountingIndicate lights1~4 users
- Kerwin Alaton Heather Alaton Heather
- Flush mounting12 users



Flush mounting12 users

• Flush mounting

• 12 users

Street name

• Flush mounting

• 12 users

Street name

Street name



Flush mounting8 users



Surface mounting
 4 users



- Surface mounting
   Indicate lights
- Indicate lights4 users
- Siterium

Silver



Flush mounting1~4 users



Flush mountingIndicate lights1~4 users



- Flush mounting • 12 users
  - users



- Flush mounting
- 8 users



• Surface mounting • 4 users



- ounting Surface mounting
  - Indicate lights
     4 users

### **ADVANTAGE & ROADMAP**




We combine the advantages of two non-polarity wires with IP technology, customers can upgrade from analog to IP system very easily.



The door station uses Linux system, the indoor monitor uses ARM chip for hardware, and Android OS for software, the architecture can guarantee our products are competitive in the market



With more than 10 years of design experience, our designer has enough success experience to ensure that the design of the products are beautiful, easy to use.



Due to the openness of IP and Android system, Our IP over 2-wire video intercom has very good customization capability,

GUI / ICON / Music / Function can be easily customized according to customer's needs.





#### INNOVATION FOR A BETTER LIFE

Shanghai Produce Media System Co., Ltd Address: 508 Room, JinHui Building, No.8, WuZhong Road, XuHui

District, Shanghai, China

Tel: +86-21-62954248 +86-21-52570448

Business E-Mail: info@producemedia.com.cn

Support E-Mail: support@producemedia.com.cn

http://www.producemedia.com.cn/en\_US/